

MICROCOPY RESOLUTION TEST CHART
DARDS-1963-A





OFFICE OF NAVAL RESEARCH

Contract N00014-K-0113

Task No. NR 359-258

TECHNICAL REPORT NO. NYU/DC/TR-8-NEW-SERIES-2

NONEQUILIBRIUM ELECTRONIC POLARIZATION OF THE SOLVENT IN PHOTOIONIZATION

by

Paul Delahay and Andrew Dziedzic

Submitted for publication in Journal of Chemical Physics

New York University Department of Chemistry New York, NY

July 1985



Reproduction in whole or in part is permitted for any purpose of the United States Government

This document has been approved for public release and sale; its distribution is unlimited

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

DEBORT DOCUMENTATION PACE		READ INSTRUCTIONS		
REPORT DOCUMENTATION PA		BEFORE COMPLETING FORM 3. RECIPIENT'S CATALOG NUMBER		
	D - 14157479	· REGIFIERT FURTAGE REMOVE.		
4. TITLE (and Subtitle)	5.	5. TYPE OF REPORT & PERIOD COVERED		
NONEQUILIBRIUM ELECTRONIC POLARIZA OF THE SOLVENT IN PHOTOIONIZATION		Technical Report		
	6.	B. PERFORMING ORG. REPORT NUMBER		
7. AUTHOR(e)		. CONTRACT OR GRANT NUMBER(a)		
Paul Delahay and Andrew Dziedzic		N00014-82-K-0113		
9. PERFORMING ORGANIZATION NAME AND ADDRESS		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS		
New York University	Ţ	AREA & WORK UNIT NUMBERS		
New York, NY 10003		NR 359-258		
11. CONTROLLING OFFICE NAME AND ADDRESS	17	12. REPORT DATE		
Office of Naval Research	 - -	July 1985		
Arlington, VA 22217		31. NUMBER OF PAGES		
14. MONITORING AGENCY NAME & ADDRESS(If different from	m Controlling Office)	15. SECURITY CLASS. (of this report)		
	1	Unclassified		
	11	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE		
16. DISTRIBUTION STATEMENT (of this Report)				
This document has been approved for public release and sale; its distribution is unlimited.				
17. DISTRIBUTION STATEMENT (of the ebatract entered in Bi	ock 20, il different from F	Report)		
18. SUPPLEMENTARY NOTES	<u></u>			
Submitted for publication in Journ		Physics		
19. KEY WORDS (Continue on reverse side if necessary and ide Anions/cations	• •			
Anions/cations Dielectric dispersion Nonequilibrium polarization	Solvation VUV photoeld	ectron emission		
20. ABSTRACT (Continue on reverse elde it necessary and identified the energetics of photoionization significant contribution from non dielectric dispersion of the solver. The solvent is polarized by the vachange of ionic valence as a result varies in a time interval determination. The following contributions.	n in condensed equilibrium pront at the prevarying electric of photoionizationed by the f	vailing photon energy. c field caused by the tion. This ionic field frequency of incident		

DD 1 FORM 1473

EDITION OF 1 NOV 65 IS OBSOLETE S/N 0102-LF-014-6601

Unclassified
SECURITY CLASSIFICATION OF THIS PAGE (Then Date Entered)

20.

the energetics of photoionization are calculated for transparent and absorbing solvents: electronic polarization, London dispersion and Born repulsion energies for a discrete model of coordinated solvent molecules in the inner-sphere solvation shell of anions and cations; electronic polarization of the outer-sphere region for a continuous medium model. The losses resulting from the rapid variation of the ionic field for an absorbing solvent are calculated for the inner- and outer-sphere regions, respectively, from a discrete model and a continuous medium. Damping of the ionic field resulting from solvent absorption is negligible. theory is applied to aqueous solutions in the 7 to 10.4 eV range of photon energies by using dielectric data from reflectance spectroscopy of liquid water. Experimental dispersion spectra for photoelectron emission have the shape predicted by theory and display all the extrema at the photon energies of the calculated curves. The very pronounced effect of strength the balance between on innerand outer-sphere contributions predicted by theory (inner-outer sphere splitting) is fully confirmed by experiment. Dispersion spectra of inorganic ions in the range of each of the two absorption bands of liquid water (maxima at ca. 8.2 and 10.0 eV) therefore exhibit a double maximum for normal dispersion and a double minimum for anomalous dispersion (12 extrema between 7.2 and 10.4 eV). Specific effect of the nature of anions is evident above 9.0 eV in inner-outer sphere splitting. The present study provides a way of probing the response of liquids and solutions to the rapidly varying intense ionic field resulting from the process of photoionization.

Access	ion For	
NTIS	GRA&I	7
DIIC T]
Unenno		3
Juntif	ication	
Fy	.cut Cou/	
i= Aveli	- Lility Code	s
1	- 31 mm/or	
Dist	fyscial	
	!	
A /		
4-1	•	



Nonequilibrium electronic polarization of the solvent in photoionization
Paul Delahay and Andrew Dziedzic

Department of Chemistry, New York University, New York, New York 10003

(Received

The energetics of photoionization in condensed phases includes a significant contribution from nonequilibrium processes arising from dielectric dispersion of the solvent at the prevailing photon energy. The solvent is polarized by the varying electric field caused by the change of ionic valence as a result of photoionization. This ionic field varies in a time interval determined by the frequency of incident radiation. The following contributions from nonequilibrium processes to the energetics of photoionization are calculated for transparent and absorbing solvenus: electronic polarization, London dispersion and Born repulsion energies for a discrete model of coordinated solvent molecules in the inner-sphere solvation shell of anions and cations; electronic polarization of the outer-sphere region for a continuous medium model. The losses resulting from the rapid variation of the ionic field for an absorbing solvent are calculated for the inner- and outer-sphere regions, respectively, from a discrete model and a continuous medium. Damping of the ionic field resulting from solvent absorption is negligible. The theory is applied to aqueous solutions in the 7 to 10.4 eV range of photon energies by using dielectric data from reflectance spectroscopy of liquid water. Experimental dispersion spectra for photoelectron emission have the shape predicted by theory and display all the extrema at the photon energies of the calculated curves. The very pronounced effect of ionic strength on the balance between inner- and outer-sphere contributions predicted by theory (inner-outer sphere splitting) is fully confirmed by experiment. Dispersion spectra of inorganic ions in the range of each of the two absorption bands of liquid water (maxima at ca. 8.2 and 10.0 eV) therefore exhibit a double maximum for normal dispersion and a double minimum for anomalous dispersion (12 extrema between 7.2 and 10.4 eV). Specific effect of the nature of anions is evident above 9.0 eV in inner-outer sphere splitting. The present study provides a way of probing the response of liquids and solutions to the rapidly varying intense ionic field resulting from the process of photoionization.

I. INTRODUCTION

Dielectric dispersion of the solvent was shown recently 1 to affect the energetics of photoionization of ions and molecules in solution. This effect was interpreted 1,2 by assuming that the energetics of solvation of the species being photoionized is determined by the solvent polarizability α and optical dielectric constant ϵ_{op} at the photon energy E at which photoionization occurs rather than by the limiting value α^0 and ϵ_{on}^0 . Alternatively, one may assume that the change of ionic valence of the substance being photoionized occurs on a time scale determined by the frequency of the incident radiation. The response of the medium to the rapidly varying intense ionic field is determined under these conditions by a and $\epsilon_{\mbox{\scriptsize op}}$ at the photon energy E and not by the limiting values $\alpha^{\mbox{\scriptsize O}}$ and ϵ_{op}^{O} . The dispersion effect according to this model results from nonequilibrium processes involving electronic polarization of the solvent, London dispersion and Born repulsion. Energy losses resulting from the rapid variations of the ionic field must also be considered for absorbing solvents. This model is treated quantitatively and tested experimentally in the present paper. Differences in the solvent configuration around anions and cations are taken into account following a comment by Hush³ on the earlier treatment.

The selection of the proper dielectric constant of the solvent in the present treatment follows from the three-step model used in the interpretation of photoelectron emission by liquids 5,6 : (i) photoionization, (ii) transfer of quasifree electrons to the liquid-gas interface, and (iii) interfacial barrier problem. Dispersion affects only photoionization, and the dielectric constant ϵ_{op} is selected accordingly, as noted above. The proper dielectric constant (or range of dielectric constants) in the ion-electron separation of the above step (ii) is determined by the kinetic energy of the quasifree electrons generated by photoionization. The present paper is not concerned with this problem since ion-electron separation and transfer are embodied in the emission law accounted, for instance, by the theory of Refs. 5 and 6.

II. NONEQUILIBRIUM PROCESSES: TRANSPARENT SOLVENTS

A. Theoretical model

The fairly standard treatment of ionic solvation 7,8 will be adapted to the present problem with the additional consideration of the different solvent configurations around inorganic anions and cations. Electrically neutral species can be treated in terms of the continuous medium model of Sec. IIC without any particular difficulty. The volume around the ion being photoionized is divided into two regions. (i) The inner-sphere solvation shell consists of N solvent molecules coordinated to the ion. The solvent molecules are treated as point dipoles at a distance $r_0 = r_C + r_W$ from the ionic charge, where r_C and r_W are the crystallographic radii of the ion and solvent, respectively. (ii) The outer-sphere region outside the sphere of radius $a = r_C + 2r_W$ is treated as a continuous medium.

The <u>nonequilibrium</u> contribution from electronic polarization in the present treatment is determined by the <u>change</u> $\Delta z = 1$ in the ionic valence and thus is independent of the value of z as in the case of nuclear reorganization of the outer-sphere region (Marcus, ⁹ Hush ¹⁰). A multipole expansion ¹¹ of the potential of the ion will be used as in the calculation of energies of ionic solvation. The polarizability of the solvent is assumed to be isotropic. This is nearly the case for water considered below in the application of the theory. Calculated energies differ by only ca. 1 percent if anisotropy is taken into account on the basis of the polarizability data of Ref. 12. The induced dipole vector is collinear with the electric field vector in the central field of the ionic charge if one assumes isotropic polarizability of the solvent. Nonlinear effects are not considered.

B. Inner-sphere solvation shell

Only the terms depending on α and ε_{op} of the solvent and the terms for London dispersion and Born repulsion are retained in the expression for the free energy of ionic solvation. We calculate first the <u>change</u> of energy ΔP_{in} for the inner-sphere solvation shell for $\Delta z=1$ and the change of polarizability from α to α^0 . One has

$$\Delta P_{in} = \Delta U_{IND} + \Delta U(p_{\alpha}e) + \Delta U(p_{\alpha}p) + \Delta U(p_{\alpha}p_{\alpha}) + \Delta U(p_{\alpha}q)$$

$$+ \Delta U_{I}(S,s) + \Delta U_{I}(s,s) + \Delta U_{RFP}, \qquad (1)$$

where U_{IND} represents the work required for the formation of induced dipoles p_{α} in the inner-sphere solvation shell; the next four terms are the energies of interaction of induced dipoles with the ionic charge $(p_{\alpha}e)$, dipoles $(p_{\alpha}p)$, induced dipoles $(p_{\alpha}p_{\alpha})$, quadrupoles $(p_{\alpha}q)$; $U_{L}(S,s)$ and $U_{L}(s,s)$ are the energies for solute-solvent and solvent-solvent London dispersion, respectively; U_{REP} corresponds to solute-solvent and solvent-solvent Born repulsion.

Explicit forms are:

$$\Delta U_{IND} = (N/2)[(p_{\alpha}^{0})^{2}/\alpha^{0} - p_{\alpha}^{2}/\alpha]$$
 (2)

$$\Delta U(p_{\alpha}e) = -\left(Ne/r_{0}^{2}\right)(p_{\alpha}^{0} - p_{\alpha}) \tag{3}$$

$$\Delta U(p_{\alpha}p) = 2A(p/r_0^3)(p_{\alpha}^0 - p_{\alpha})\cos \beta \tag{4}$$

$$\Delta U(p_{\alpha}p_{\alpha}) = (A/r_0^3)[(p_{\alpha}^0)^2 - p_{\alpha}^2]$$
(5)

$$\Delta U(p_{\alpha}q) = -B(\Theta/r_{0}^{4})(p_{\alpha}^{0} - p_{\alpha})$$
 (6)

$$\Delta U_{L}(S,s) = -(3N/2r_{0}^{6})[I_{S}I/(I_{S} + I)]\alpha_{S}(\alpha^{O} - \alpha)$$
 (7)

$$\Delta U_{L}(s,s) = -(CI/r_{0}^{6})[(\alpha^{0})^{2} - \alpha^{2}]$$
 (8)

$$\Delta U_{REP} = - (1/x) \{ 2\Delta U(p_{\alpha}e) + 3[\Delta U(p_{\alpha}p) + \Delta U(p_{\alpha}p_{\alpha})] + 4\Delta U(p_{\alpha}q) + 6[\Delta U_{L}(S,s) + \Delta U_{L}(s,s)] \}$$
(9)

where N is the number of solvent molecules coordinated to the species being photoionized; e, the absolute value of the electronic charge; p, the permanent dipole moment of the solvent; 0, the quadrupole moment of the solvent (Appendix); ß, the angle between the induced and permanent dipoles of the solvent in the inner-sphere solvation shell; I_s and I, the gas-phase ionization energies of the solute and solvent, respectively; α_s , the polarizability of the solute taken to be independent of photon energy in the absence of dispersion data. The coefficients A, B and C were calculated by Buckingham⁷ by considering solvent pairwise interactions: A = 2.296 and 7.114; B = 1.722 and 5.336; C = 0.2373 and 1.160 for tetrahedral and octahedral coordination, respectively. The Born repulsion energy U_{REP} is obtained according to Morf and Simon⁸ by minimizing with respect to r_0 the total contribution from the inner-sphere shell to the solvation energy. The exponent x will be taken to be 12 and 8, respectively, for inorganic anions 13 and cations 8

The induced dipole moment p^0_α is obtained according to Morf and Simon⁸ by minimizing with respect to p^0_α the total energy depending on p^0_α . Thus,

$$p_{\alpha}^{0} = \alpha^{0} (Ner_{0}^{2} - 2Apr_{0}\cos \beta + B\theta)/r_{0}(Nr_{0}^{3} + 2A\alpha^{0})$$
 (10)

The same equation with α instead of α^0 is applied to p_{α} . Equation (10) reduces to the familiar equation $p_{\alpha}^0 = \alpha^0 F$, where $F = e/r_0^2$ is the field, if the pairwise interactions are neglected. The sum of the energies in Eqs. (2) and (3) in that case is one-half of the value on the r.h.s. of Eq. (3).

The evaluation of the angle β in Eq. (4) and Θ (Appendix A) requires information about the structure of the solvent in the inner-sphere shell. Only inorganic anions and cations in aqueous solution will be considered here. The anion, hydrogen and oxygen are collinear in the simplest case $^{15-17}$ and the water dipole vector makes an angle $\beta = 52.23^{\circ}$ with the electric field vector of the ionic charge. The water molecules are assumed to rotate freely about the anion-hydrogen-oxygen axis. 13 Conversely, the cation and water molecule are assumed to be in the same plane in the simplest case with the cation-oxygen axis coinciding with the electric field vector of the ionic charge $^{15-17}$ ($\beta = 0$). The water molecule is assumed to rotate freely about the cation-oxygen axis. 7 Tilting of the plane of the water molecule with respect to the cation-oxygen axis, which was reported $^{15-17}$ for high electrolyte concentrations (> 1.5 M), will not be considered here but could easily be introduced in the treatment. To summarize, the limiting values $\beta = 52.23^{\circ}$ and $\beta = 0$ will be used for anions and cations, respectively, in the application of the theory to aqueous solutions.

C. Screening by the ionic atmosphere

The change in the free energy for electronic polarization of the outer-sphere region is treated for a continuous-medium model. One has

$$\Delta P_{\text{out}} = (e^2/2a)[(\epsilon_{\text{op}}^0)^{-1} - \epsilon_{\text{op}}^{-1}]$$
 (11)

in the absence of screening of the ions by the ionic atmosphere. A correction must be made for the screening. The free energy contribution ΔG_{atm} from the ionic atmosphere to the free energy of electronic polarization of the outer-sphere region is,

$$\Delta G_{atm} = -\left(e^2/2\varepsilon_{op}\right)\kappa/(1+\kappa a), \tag{12}$$

to the approximation of the Debye-Hückel theory. There $\varepsilon_{\rm CP}$ is the optical dielectric constant, a is the radius of the inner-sphere taken to be equal to $r_{\rm C}$ + $r_{\rm W}$ (Sec. IIA), and κ is the Debye-Hückel reciprocal length measured from a. The quantity κ is calculated for the static dielectric constant $\varepsilon_{\rm S}$ of the solvent because the ionic atmosphere is "frozen" during the rapid variations of the ionic field resulting from photoionization. Equation (12) is taken directly from the Debye-Hückel theory 18 except that $\varepsilon_{\rm OP}$ is written in the denominator instead of $\varepsilon_{\rm S}$. A correction identical to Eq. (12) applies to <u>nuclear</u> reorganization 19 in <u>optical</u> electron transfer except that $\varepsilon_{\rm S}$ appears in the denominator instead of $\varepsilon_{\rm OP}$.

It is seen from Eq. (12) that the correction for the ionic atmosphere is obtained by writing $(e^2/2R)(1/\epsilon_{op})$ with a radius $R=a+1/\kappa$ instead of R=a. The energy $S\Delta P_{out}$ therefore is obtained instead of ΔP_{out} of Eq. (11), the screening factor being,

$$S = [a^{-1} - (a + 1/\kappa)^{-1}]/a^{-1}$$

$$= 1/(1 + \kappa a).$$
(13)

Thus, the value S=1 corresponds to the limiting case of no screening approximated for very dilute solutions. Conversely, the value S=0 pertains

to total screening of the outer-sphere response. One has, for instance, for a 0.1 M aqueous solution of a 1-1 electrolyte, $\kappa^{-1} \sim 6.9$ Å denoting the thickness of the ionic atmosphere outside the inner-sphere of radius a = 4.76 Å; consequently, S \approx 0.6. Thus, the effect of screening by the ionic atmosphere in aqueous solutions can be very significant for electronic polarization whereas it is minor for nuclear reorganization in optical electron transfer (a few hundredths of electronvolt at most for a concentrated solution).

Expressions for the ionic screening of the discrete inner-sphere are complicated but may be closely approximated by a simple extension of the continuum outer-sphere treatment. For solutions of high ionic strength, counterions may penetrate the inner-sphere; thus, the Debye-Hückel length κ^{-1} , measured from the radius a, is negative denoting this penetration. The screening factor S is then negative allowing for the partial cancellation of the inner-sphere response by that calculated for the screened outer-sphere (see Sec. IV). For example, in a 2 M aqueous solution of a 2-1 electrolyte, the mean separation of ionic centers is ~ 6.5 Å. Given an effective common ionic radius 18 r $^{\circ}$ 2 Å, the distance from one of the ions to the center of the other is 4.5 Å. Thus, the inner-sphere is penetrated to a depth of 4.76-4.50=0.26 Å. κ^{-1} as defined above is then ≈ -0.3 Å and consequently S is ca. -0.1.

Formula (13) is intended as a guide in the interpretation of screening rather than a quantitative equation. Application of the Debye-Hückel theory outside the range of sufficiently dilute solutions is tentative, but the original model can be improved (e.g., the recent treatment in Ref. 20). It is noted, in this respect, that departure from the theory does not arise because κ^{-1} in concentrated solutions is shorter than ionic radii since the ionic

atmosphere is always outside the sphere of of closest approach for the ions the radius of which is approximately the sum of the anionic and cationic radii.

III. NONEQUILIBRIUM PROCESSES: ABSORBING SOLVENTS

A. Real part of energies for inner- and outer-sphere regions

The dielectric constant of the solvent in the range of absorption is a complex quantity $\varepsilon_1 - i\varepsilon_2$. The energy density within the dielectric is $\varepsilon_1 F^2/8\pi$, where $F = (e/r^2)(\varepsilon_1^2 + \varepsilon_2^2)^{-1/2}$ is the magnitude of the ionic field. Integrating the energy density for the volume element $dV = 4\pi r^2 dr$ between r = a and $r = \infty$, one obtains the outer-sphere contribution

$$\Delta P_{\text{out}} = (e^2/2a)[(\epsilon_{\text{op}}^0)^{-1} - \epsilon_1/(\epsilon_1^2 + \epsilon_2^2)]. \tag{14}$$

Thus, Eq. (14) is simply the real part of ΔP_{out} of Eq. (11) written for a complex dielectric constant.

Similarly, calculation of ΔP_{in} requires the value of the real part α_1 of the complex polarizability $\alpha_1 - i\alpha_2$. The values of α_1 and α_2 are obtained, at least approximately, from the Lorenz-Lorentz equation for an absorbing solvent 21

$$(\varepsilon_1 - 1 - i\varepsilon_2)/(\varepsilon_1 + 2 - i\varepsilon_2) = \zeta(\alpha_1 - i\alpha_2), \tag{15}$$

where $\zeta = 4\pi N_A \delta/3M$, N_A being the Avogadro number, δ the density and M the molecular weight of the solvent. Equation (15) yields

$$[(\varepsilon_1 - 1)(\varepsilon_1 + 2) + \varepsilon_2^2]/[(\varepsilon_1 + 2)^2 + \varepsilon_2^2] = \zeta \alpha_1$$
 (16)

$$\varepsilon_2/[(\varepsilon_1 + 2)^2 + \varepsilon_2^2] = (\zeta/3)\alpha_2 \tag{17}$$

The energy ΔP_{in} is computed from Eqs. (1) to (9) by using α_1 from Eq. (16) instead of α . Equations (2) to (6) are written in complex form in terms of $\alpha_1 - i\alpha_2$ and $p_{\alpha_1} - ip_{\alpha_2}$ (Sec. IIIB). The sum of these complex energies is minimized with respect to $p_{\alpha_1} - ip_{\alpha_2}$, and the real and

imaginary parts of induced dipole are obtained accordingly. Thus,

$$P_{\alpha_1} = [K_1 K_3 (\alpha_1^2 + \alpha_2^2) + K_1 K_2 \alpha_1] / (K_2 + K_3 \alpha_1)^2 + (K_3 \alpha_2)^2]$$
 (18)

$$p_{\alpha_2}^{1} = \alpha_2 K_1 K_2 / [(K_2 + K_3 \alpha_1)^2 + (K_3 \alpha_2)^2]$$
 (19)

where

$$K_1 = Ner_0^2 = 2Apr_0 \cos \beta + B \tag{20}$$

$$K_2 = Nr_0^4 \tag{21}$$

$$K_3 = 2Ar_0 \tag{22}$$

Use of the corrected Lorenz-Lorentz equation 21 yielded values of α_1 and α_2 slightly higher than those given by Eqs. (16) and (17) (cf. also Sec. V).

B. Imaginary part of energies for inner- and outer-sphere regions

The imaginary part ϵ_2 of the complex dielectric constant can be interpreted classically in terms of the <u>optical</u> conductivity $\sigma = \omega \epsilon_2/4\pi$ at the photon energy $\hbar \omega$. This interpretation holds even if the dielectric does not exhibit any conductivity from free charges, and the imaginary part ϵ_2 arises solely from bound-bound transitions. (The contribution from <u>ionic</u> conductivity for the systems studied in the present work is negligible.) The energy loss corresponding to absorption will be calculated for the outer- and inner-sphere regions. The loss for the outer-sphere region will be calculated first since a continuous medium treatment is directly applicable.

The conduction current density for the field F is σF . The corresponding energy loss in the dielectric is determined by the variation of F during the time interval for which the loss is calculated. This time interval is taken to be equal to the time uncertainty ω^{-1} corresponding to the photon energy $E = \pi \omega$ at which photoionization occurs. (See formulation of the time-energy uncertainty in Ref. 22.) The ionic valence cannot be specified during the

interval ω^{-1} and consequently the loss is calculated by equating F to the change in ionic field from an ionic charge z to z + 1 as a result of photoionization. The loss per unit of time and unit volume therefore is σF^2 . This result differs from the classical value σF^2 obtained from σF^2 obtained from σF^2 obtained from the sec. VI strongly support the use of σF^2 instead of σF^2 .

The energy loss per unit volume in the time ω^{-1} is $\omega^{-1}\sigma F^2$ or $(\varepsilon_2/4\pi)F^2$. The ionic field in the absence of screening by the ionic atmosphere is $(e/r^2)(\varepsilon_1^2+\varepsilon_2^2)^{-1/2}$, and the volume element dV is $4\pi r^2 dr$. The energy loss in the outer-sphere region is

$$L_{\text{out}} = \epsilon_2 \int_a^{\epsilon_2} F^2 r^2 dr$$

$$= (e^2/a)\epsilon_2/(\epsilon_1^2 + \epsilon_2^2). \tag{23}$$

Equation (23) is identical, except for the factor 1/2, to the negative imaginary part of the complex polarization which is associated with the real part of the polarization given by Eq. (14). The correction for the ionic atmosphere is obtained just as in Sec. IIC by introducing the radius a + $1/\kappa$ instead of a in Eq. (23). The screening factor S of Eq. (13) therefore is also applicable to $L_{\rm out}$.

The loss in the inner-sphere L_{in} is calculated analogously to L_{out} by summing the negative imaginary parts of the complex components of ΔP_{in} . This is justified by noting that the conduction current density per molecule within a time ω^{-1} is the displacement of charge out-of-phase with the real part of the ionic field due to optical conductivity. This out-of-phase charge displacement is alternatively given by the formally defined dipole P_{α_2} . The dipole P_{α_2} defined in this way interacts with the permanent and induced moments of the multipole expansion to give inner-sphere energy

losses. In this way, the inner-sphere interaction energies are damped by the optical conduction of the medium. Thus,

$$L_{in} = L(\sigma_{IND}) + L(e\sigma) + L(p\sigma) + L(p_{\alpha}\sigma) + L(q\sigma) + L_{REP}$$
 (24) where $L(\sigma_{IND})$ represents the damping of the induction energy over the interval ω^{-1} arising from the optical conductivity of the solvent. Likewise, $L(e\sigma)$, $L(p\sigma)$, $L(p_{\alpha}\sigma)$, $L(q,\sigma)$ represent the decrease of the interaction energies (or losses) for the charge, dipole, induced dipole and quadrupole terms of Eqs. (2) to (6), respectively. The quantity $L(\sigma_{IND})$ is the imaginary contribution from the Born repulsion. This term is included because the minimization of the interaction energies with respect to nuclear

London dispersion is not applicable to the loss calculation, however. One has (cf. Sec. IIB),

coordinates, which leads to Eq. (9), minimizes conductive losses as well.

$$L(\sigma_{IND}) = (N/2)[\alpha_2(p_{\alpha_1}^2 - p_{\alpha_2}^2) - 2\alpha_1 p_{\alpha_1} p_{\alpha_2}]/(\alpha_1^2 + \alpha_2)^2$$
 (25)

$$L(e\sigma) = (N/2)(e/r_0^2)p_{\alpha_2}$$
 (26)

$$L(p_{\sigma}) = -2A(pp_{\alpha_2}/r_0^3)\cos \beta$$

$$L(p_{\alpha}\sigma) = -2Ap_{\alpha_1}p_{\alpha_2}/r_0^3$$
(28)

$$L(p_{\alpha}\sigma) = -2Ap_{\alpha_1}p_{\alpha_2}/r_0^3 \tag{28}$$

$$L(q\sigma) = B\Theta p_{\alpha_2}/r_0^{4} \qquad (29)$$

$$L_{REP} = (1/x) \{ 2L(e_{\sigma}) + 3[L(p_{\sigma}) + L(p_{\alpha}\sigma)] + 4L(q_{\sigma}) \}$$
 (30)

where p_{α_2} and the quantities A, B, p, θ , x are defined in Sec. IIB.

TOTAL ENERGY FOR NONEQUILIBRIUM PROCESSES

The total contribution W from nonequilibrium processes to the exclusion of nuclear reorganization will be obtained. The real and imaginary components of W are

$$P = \Delta P_{in} + \Delta P_{out}$$
 (31)

$$L = L_{in} + L_{out}. (32)$$

Thus,

$$W = (P^2 + L^2)^{1/2} (33)$$

The variations of ΔP_{in} , ΔP_{out} , L_{in} , L_{out} and W with photon energy for S = 1 are displayed in Fig. 1 for liquid water for octahedral coordination of the solvent around an anion. The shapes of the curves of Fig. 1 are determined by dielectric dispersion and the absorption bands of liquid water at ca. 8.2 and 10.0 eV. This point is amplified in Sec. V and VI. Results for tetrahedral coordination around an anion are the same except that ΔP_{in} makes a contribution to W which is ca. 18 percent lower than in Fig. 1. Results for cations are similar to those for anions for the same coordination.

Data on ε_1 and ε_2 used in Fig. 1 were those recently recalculated by Painter²³ from earlier results²⁴⁻²⁶ on reflectance spectroscopy of liquid water except for ε_2 . The earlier²⁴ values of ε_2 in the 6.8 to 8.8 eV interval were used because the cut-off ε_2 = 0 below 7.6 eV in Refs. 25 and 26 does not agree with the data from other workers summarized in Ref. 27. The difference is really minor in the calculation of L but not in that of the derivative dL/dE needed for comparison with experiment. The quadrupole moment components used in the preparation of Fig. 1 were taken from Ref. 28.

The effect of screening by the ionic atmosphere on the variations of the energy W of Eq. (33) with the photon energy E is shown in Fig. 2 for S = 0.3 to S = -0.1. The shape of the W against E curve hardly changes between S = 1 and 0.3, but W at a given E decreases with increasing screening. Figure 2, in fact, shows that screening can drastically reduce the magnitude of W. Whereas the outer-sphere contributions ΔP_{out} and L_{out} become dominant for S \geqslant 0.2, one has only W = $(\Delta P_{in}^2 + L_{in}^2)^{1/2}$ for the case of S = 0. Negative S values even further reduce W since the inner-sphere response is decreased by counterion penetration (Sec. IIC).

V. CALCULATED DISPERSION SPECTRA

The present theory was tested experimentally by using data 1,2 on photoelectron emission by aqueous solutions of inorganic anions and cations in the 7 to 10.4 eV range of photon energy. Verification of the theory requires plots of -dW/dE against the photon energy E. This will be shown first. The emission yield Y in emission experiments is defined as the number of collected photoelectrons per incident photon. One has $Y = K(E - E_t)^p$, where E is the photon energy, E_t the threshold energy, K a quantity independent of E and p = 2, 5/2 or 3 depending 6 on the range of E. A quadratic dependence was found suitable 1,2 and, in any event, conclusions to be drawn below are essentially unaffected by the choice of exponent. 1 One has in view of the form of the emission law for Y,

$$dY^{1/2}/dE = K(1 - dE_{+}/dE)$$
 (34)

The threshold energy $E_{
m t}$ is given by 29,30

$$E_{t} = \Delta G_{cvcle} + R + W, \tag{35}$$

where ΔG_{cycle} can be written in explicit form for a thermodynamic cycle involving the initial and final states of the emission process (including the surface potential contribution), and R is the free energy for nuclear reorganization. The quantities ΔG_{cycle} and R are not affected by dielectric dispersion and are independent of E. One obtains from Eqs. (34) and (35)

$$dY^{1/2}/dE = K[1 - dW/dE].$$
 (36)

It follows from Eq. (36) that the derivatives $dY^{1/2}/dE$ and -dW/dE should have the same functional dependence on photon energy. The curves representing the variations of $dY^{1/2}/dE$ and -dW/dE with E will be referred to, respectively, as the experimental and theoretical dispersion spectra.

$$dW/dE = [P/(P^2 + L^2)^{1/2}]dP/dE + [L/(P^2 + L^2)^{1/2}]dL/dE.$$
 (37)

The two terms on the r.h.s. of Eq. (37) were computed as functions of photon energy by using binomial smoothing filters 31 to obtain the derivatives dP/dE and dL/dE. This method is preferable to the use of the Savitsky-Golay convolutes previously used 1,32 to calculate the derivatives. It should be noted in this respect that the data on ε_1 and ε_2 of liquid water from Ref. 23 used in the preparation of Fig. 1 were available at 0.2 eV intervals and were interpolated by means of quadratic and quartic polynomials. Interpolation was of no consequence in the calculation of the curves of Fig. 1 but resulted in the elimination or at least damping of any fine structure the <u>derivative</u> curves might actually have in the 0.2 eV intervals. Figure 3 shows that the terms in dP/dE and dL/dE in Eq. (37) make comparable contributions to -dW/dE but that their extrema occur at different photon energies.

The use of the corrected Lorenz-Lorentz equation 21 increases the magnitude of |-dW/dt| by ca. 10 percent but does not change the functional dependence of -dW/dt on photon energy.

The difference in the orientation of the water molecules in the inner-sphere shell around anions and cations (Sec. IIB) was investigated. Calculated dispersion spectra for cations exhibit practically the same functional dependence on photon energy as anions but the amplitude is increased, e.g., by ca. 50 percent in comparison with Fig. 3 for the following data: N = 6, $r_c = 0.88$ Å, $\beta = 0$, $\alpha = 1.3 \times 10^{-24}$ cm³, $I_s = 26.4$ eV, x = 8 (data corresponding to the nonhydrated V^{2+} in Ref. 8).

The effect of screening by the ionic atmosphere is displayed in Fig. 4. The shape of the dispersion spectrum curve is not sensitive to screening between S=1 and S=0.2, but a major change in shape occurs at $S \le 0.2$. This is the case because the curves corresponding to dP/dE and dL/dE peak at different photon energies (Fig. 3). The curve for S=0 corresponds to the

case in which the dispersion spectrum is solely determined by the inner-sphere contributions. Conversely, the contributions from the outer-sphere region are dominant for S=1. The photon energies at the extrema of the dispersion spectra calculated for S=1 and S=0 are listed in Table I. The ranges of E < 7.75 eV and 7.75 < E < 8.70 eV correspond respectively to normal and anomalous dispersion for the first absorption band of liquid water (with maximum at ca. 8.2 eV). A maximum between the two minima is displayed in the normal range, and conversely a minimum between two maxima is observed in the anomalous range. This pattern of extrema, which will be referred to as inner-outer sphere splitting, is repeated in the normal and anomalous ranges at higher photon energies for the second absorption band of liquid water (ca. 10.0 eV).

VI. COMPARISON OF EXPERIMENTAL AND CALCULATED DISPERSION SPECTRA

Experimental and calculated dispersion spectra are compared in Figs. 5 and 6 for 1–1 (NaSCN) and 1–2 (Na $_2$ S $_2$ O $_3$) electrolytes. The ordinate of experimental dispersion spectra is obtained in arbitrary units, and consequently the curves of Figs. 5 and 6 were normalized at the maximum (8.2 to 8.6 eV) and minimum (ca. 9.1 eV) of the experimental curves. The calculated curves were prepared for S = 0.3 and 0.15 (Fig. 5) and S = 0.0 and -0.1 (Fig. 6) for the 0.25 and 2 M solutions, respectively. These values of S are significantly different at high ionic strengths from the ones computed from Eq. (13) with κ^{-1} measured from a: 0.41 (0.25 M) and -0.14 (2 M) for a 1–1 electrolyte; 0.14 (0.25 M) and -0.40 (2 M) for a 1–2 electrolyte. This is not surprising since an accurate calculation of κ^{-1} from the Debye-Hückel theory in its original form, as applied in Eq. (13), is not possible at the concentrations of Figs. 5 and 6.

The experimental curves for the 2 M solution of Figs. 5 and 6 have slightly different widths than the calculated dispersion spectra. Three possible reasons at least can be advanced for this discrepancy: the uncertainty about ε_1 and ε_2 inherent to the application of the Kramers-Kronig transformation in reflectance spectroscopy 33 ; the uncertainty about ε_2 below ca. 8.8 eV (Sec. IV); the approximation of the theoretical model in which spherical symmetry of the field is assumed around the ion undergoing photoionization.

The change in the shape of dispersion spectra upon increase of the ionic strength is strikingly apparent in Figs. 5 and 6. Thus, the maximum with dominant outer-sphere contribution near 8.6 eV is prominent for the 0.25 M sodium thiocyanate solution whereas the maximum with dominant inner-sphere contribution near 8.2 eV is considerably enhanced for 2 M thiosulfate. Inner-outer sphere splitting (cf. Table I) in the 8.0 to 8.8 eV and 9.0 to 9.7 eV ranges is indeed observed. Figures 5 and 6 also show that the weak maximum at 9.38 eV in the calculated curves is greatly enhanced in the experimental curves. Inner-outer sphere splitting in the 9.0 to 9.7 eV range therefore can be strongly influenced by the nature of the anion. This specific effect is displayed by the 17 anions studied in Ref. 1. Thus, the height of the 9.37 eV peak is nearly independent of concentration (0.25 to 2 M) for some anions (e.g., OH^- , CO_3^{2-} , SCN^-) whereas it is strongly concentration-dependent for others (e.g., Br $^-$, I $^-$, C10 $^-$). The 9.63 eV minimum is also sensitive to the nature of the anions as is evident from Figs. 5 and 6. Particularly pronounced minima were observed in Ref. 1 with bromide at 9.62 eV and iodide at 9.59 eV. Greatly enhanced inner-outer sphere splitting was recently observed for phosphorus hexafluoride ion (0.2 M KPF $_6$, E $_t$ ~ 9.3 eV) with the normal sequence of two maxima (10.02 and 10.35 eV) and a minimum

(10.18 eV). This enhancement from PF_6^- ion completely masked the dispersion spectrum of liquid water ($E_t = 10.06 \text{ eV}$).

The photon energies at the extrema of the experimental dispersion spectra of the 17 anions studied in Ref. 1 in Table I compare very well with the calculated values for $-0.2 \le S \le 1$. It is concluded from this agreement and the interpretation in Sec. V and VI that the theory accounts remarkably well for the experimental dispersion spectra and the pronounced effect of ionic strength on their shape.

The present theory is supported also by the observed shift in threshold energy with concentration of ionic emitter for NaSCN, NaN $_3$, Na $_2$ S $_2$ O $_3$ and Na $_2$ S $_2$ O $_8$ over the 0.25 to 2.0 M range. Further work on this aspect will be the subject of a future publication.

VII. CONCLUSIONS

Photoionization provides a way of changing the intense ionic field in a time interval corresponding to the frequency of the incident radiation. These rapid variations of the ionic field can be used to probe the response of liquids and solutions. Experimental evidence was obtained in this way for nonequilibrium electronic processes resulting from dielectric dispersion of the solvent in photoionization. Theory predicts and experiment confirms that ionic screening can alter profoundly the balance between the contributions from inner- and outer-sphere regions to the energetics of the nonequilibrium electronic processes (inner-outer sphere splitting).

ACKNOWLEDGMENTS

This work was supported by the Office of Naval Research and the National Science Foundation. We thank Professor N. S. Hush (Theoretical Chemistry, Sydney) for pointing out to us the need to consider the difference in solvent configuration around inorganic anions and cations. Professor L. R. Painter

(Physics, University of Tennessee) kindly communicated her unpublished recalculated data on the reflectance spectroscopy of liquid water.

APPENDIX

A. Quadrupole moment

The quadrupole moment of Eq. (6) for $\beta = 0$ is 9

$$\Theta = \Theta_{\mathbf{a}} + \Theta_{\mathbf{b}} \tag{A1}$$

where

$$\Theta_{a} + \Theta_{b} = 2\Theta_{zz} - \Theta_{xx} - \Theta_{yy}, \tag{A2}$$

the z-axis being in the ion-oxygen direction. For $\beta = 52.23^{\circ}$, one has

$$\Theta_a + \Theta_b = 2\Theta_{77} \sec \beta - \Theta_{xx} \sec \beta - \Theta_{yy}.$$
 (A3)

Equation (A3) was obtained by noting that the water molecule rotates about the H-O axis for $\beta=52.23^{\circ}$. The quantities Θ_{a} and Θ_{b} therefore were transformed with respect to the new axis of rotation.

B. Attenuation of the field

The electric field in a conducting, isotropic medium is attenuated by the factor $\exp(-\omega k r/c)$, where k is the absorption coefficient, r the depth of penetration and c the velocity of light in vacuum. The absorption coefficient k can be computed from $\varepsilon_1 = n^2 - k^2$ and $\varepsilon_2 = 2nk$, where n is the index of refraction. The field in the present case is proportional to r^{-2} without attenuation. The energy without attenuation is obtained by integrating $r^{-4} dV$ from a to ∞ , where $dV = 4\pi r^2 dr$. With attenuation, one integrates $4\pi r^{-2} \exp(-2\omega k r/c) dr$ between a and ∞ . This is done in the calculation of ΔP_{out} using the real part of $(\varepsilon_1 - i\varepsilon_2)^{-1}$ as noted in Sec. III. There is no attenuation of the field for the limiting value $\varepsilon_{\text{op}}^0$. One obtains

$$\Delta P_{\text{out}} = (e^2/2a)(\varepsilon_{\text{op}}^0)^{-1} - (e^2/2)\varepsilon_1(\varepsilon_1^2 + \varepsilon_2^2)^{-1}[a^{-1}\exp(-\xi a) + \xi \ln \xi a - \xi^2 a + \xi^3/2.2! \dots],$$
(A4)

where $\xi = 2\omega k/c$. The series in (A4) converges rapidly in the present case and

only the first term between brackets is significant. Equation (A4) reduces to Eq. (11) for $\xi=0$. One has ²³ for liquid water at 8.2 eV, k=0.19, $\xi=7.5 \times 10^{-3} \text{ cm}^{-1}$ and $\exp(-\xi a)=0.992$. Attenuation of the field thus changes the second term on the r.h.s. of Eq. (A4) by only ≈ 1 percent.

REFERENCES

- ¹P. Delahay and A. Dziedzic, J. Chem. Phys. 80, 5381 (1984).
- 2 P. Delahay and A. Dziedzic, J. Chem. Phys. 81, 3678 (1984).
- ³N. S. Hush, private communication.
- ⁴C. N. Berglund and W. E. Spicer, Phys. Rev. <u>136A</u>, 1030, 1044 (1964).
- ⁵A. M. Brodsky and A. V. Tsarevsky, J. Chem. Soc. Faraday Trans. 2, 72, 1781 (1976).
- ⁶A. M. Brodsky, J. Phys. Chem. <u>84</u>, 1856 (1980).
- ⁷A. D. Buckingham, Disc. Faraday Soc. 24, 151 (1957).
- 8 W. E. Morf and W. Simon, Helv. Chim. Acta 54, 794 (1971).
- ⁹R. A. Marcus, J. Chem. Phys. <u>24</u>, 966, 979 (1956).
- ¹⁰N. S. Hush, Trans. Faraday Soc. <u>57</u>, 557 (1961).
- ¹¹H. Margenau and N. R. Kestner, <u>Theory of Intermolecular Forces</u> (Pergamon, London, 1969), p. 17.
- ¹²I. G. John, G. B. Bacskay, and N. S. Hush, Chem. Phys. 51, 49 (1980).
- ¹³P. Schuster, in <u>Electron-Solvent and Anion-Solvent Interactions</u>, L. Kevan and B. C. Webster, eds. (Elsevier, Amsterdam, 1976), pp. 264, 289-291.
- ¹⁴E. A. Moelwyn-Hughes, <u>Physical Chemistry</u>, 2nd ed. (Pergamon, London, 1961), pp. 308-309.
- 15 J. E. Enderby and G. W. Neilson, in <u>Water</u>, vol. 6, F. Franks, ed. (Plenum, New York, 1979), pp. 1-46.
- 16 J. E. Enderby and G. W. Neilson, Rep. Progr. Phys. 44, 594 (1981).
- ¹⁷J. E. Enderby, Ann. Rev. Phys. Chem. 34, 155 (1983).

- ¹⁸R. A. Robinson and R. H. Stokes, <u>Electrolyte Solutions</u> (Butterworths, London, 1959), pp. 218-220, 228-229, 236-238, 491-503.
- ¹⁹E. Waisman, G. Worry, and R. A. Marcus, J. Electroanal. Chem. 82, 9 (1977).
- ²⁰B. A. Pailthorpe, D. J. Mitchell, and B. W. Ninham, J. Chem. Soc. Faraday Trans. 2, 80, 115 (1984).
- ²¹C. J. F. Böttcher and P. Bordewijk, <u>Theory of Electric Polarization</u>, vol.
- II, 2nd ed. (Elsevier, Amsterdam, 1978), pp. 23-27, 292-301, 395-404.
- ²²Y. Aharonov and A. Petersen, in <u>Quantum Theory and Beyond</u> (University Press. Cambridge, 1971), pp. 135-139.
- ²³L. R. Painter, private communication.
- ²⁴L. R. Painter, R. D. Birkhoff, and E. T. Arakawa, J. Chem. Phys. <u>51</u>, 243 (1969).
- ²⁵J. M. Heller, Jr., R. N. Hamm, R. D. Birkhoff, and L. R. Painter, J. Chem. Phys. 60, 3483 (1978).
- ²⁶J. M. Heller, Jr., R. D. Birkhoff, and L. R. Painter, J. Chem. Phys. <u>67</u>, 1858 (1977).
- ²⁷F. Williams, s. P. Varma, and S. Hillenius, J. Chem. Phys. <u>64</u>, 1549 (1976).
- ²⁸J. Verhoeven and A. Dymanus, J. Chem. Phys. <u>52</u>, 3222 (1970).
- ²⁹P. Delahay, in <u>Electron Spectroscopy: Theory, Techniques and</u>
- Applications, vol. 5, C. R. Brundle and A. D. Baker, eds. (Academic Press, London, 1984), pp. 123-196.
- ³⁰P. Delahay and A. Dziedzic, J. Chem. Phys. <u>80</u>, 5793 (1984).
- ³¹P. Marchand and L. Marmet, Rev. Sci. Instrum. 54, 1034 (1982).
- 32A. Dziedzic, "Energetics and Dispersion of Optical Electron Transfer in Solution," Ph.D. dissertation, New York University, 1984.
- ³³R. H. Young, J. Opt. Soc. Am. <u>67</u>, 520 (1977).
- ³⁴J. D. Jackson, <u>Classical Electrodynamics</u>, 2nd ed. (Wiley, New York, 1975), pp. 296-298.

TABLE I. Photon energies at the extrema of experimental and calculated dispersion spectra (S=0 and 1)

Dispersion	Extremum	Dominant Contribution	Calculated ^a Photon Energy (eV)	Experimental ^b Photon Energy (eV)
normal	min	inner	7.24	no datum
(< 7.75 eV)	max	mixed	7.30	7.30
	min	outer	7.42	7.41
anomalous	max	inner	8.24	8.16±0.06
(7.75 to 8.70 eV)	min	mixed	8.58	8.42±0.06
	max	outer	8.68	8.65±0.03
normal	min	inner	9.18	9.11±0.03
(8.70 to 9.70 eV)	max	mixe	9.38	9.37±0.06
	min	outer	9.63	9.63±0.12
anomalous	max	inner	9.96	9.86±0.04
(> 9.7 eV)	min	mixed	10.11	10.18
	max	outer	10.32	10.35

^aSee Fig. 4 for $7 \leqslant E \leqslant 10$ eV.

^bData for 0.5 M VCl₂ and 1 M CrCl₂ (7.30 and 7.41 eV) and 0.05 M K₄Fe(CN)₆ (7.41 eV) from Ref. 2. Average values with standard deviation (8.16 \leq E \leq 10 eV) for 1 M solutions of 17 inorganic anions from Ref. 1. Extrema at 10.18 and 10.35 eV obtained with 0.2 M KPF₆.

Captions to Figures

- Fig. 1 Variation of energies with photon energy for liquid water and the solvent configuration around a typical inorganic anion: ΔP_{in} , L_{in} and ΔP_{out} , L_{out} for the inner- and outer-sphere regions, respectively, W the total energy from Eq. (25). Data: N = 6, $r_c = 2$ Å, $r_w = 1.38$ Å, $\beta = 52.23$ °, p = 1.855 debye, $\alpha^0 = 1.444 \times 10^{-24}$ cm³, $\alpha_s = 4 \times 10^{-24}$ cm³, $I_s = 3$ eV, I = 12.61 eV, X = 12. Values of ϵ_1 and ϵ_2 from Ref. 23 (see text). No screening by the ionic atmosphere (S = 1).
- Fig. 2. Variations of the total energy W with photon energy for different values of the screening factor S (S = 0 for complete outer-sphere screening, S = -0.1 for partial screening of the inner-sphere). Same data as in Fig. 1.
- Fig. 3. Variations of the quantities in Eq. (29) with photon energy for the data of Fig. 1.
- Fig. 4. Variations of -dW/dE with photon energy for different values of the screening factor S (S = 0 for complete screening of the outer-sphere, S = -0.1 for partial screening of the inner-sphere). Same data as in Fig. 1. Ordinates at the minimum at 7.42 eV from S = -0.1 to S = 1.0: -0.164, -0.196, -0.229, -0.263, -0.297, -0.541. Ordinates at the maximum (photon energy between parentheses) from S = -0.1 to S = 1.0: 0.151 (8.20 eV), 0.151 (8.24 eV), 0.162 (8.35 eV), 0.181 (8.41 eV), 0.216 (8.68 eV), 0.509 (8.68 eV).
- Fig. 5. Comparison of experimental dispersion spectra for 0.25 M (bottom) and 2 M sodium thiocyanate with dispersion spectra calculated for the data of Fig. 1 and a screening factor S = 0.3 (bottom) and 0.15 (top).
- Fig. 6. Same comparison as in Fig. 5 but for 0.25 M (bottom) and 2 M sodium thiosulfate and S = 0.0 (bottom) and -0.1 (top).




FIG. I




FIG. 2





FIG. 3






FIG. 5




FIG. 6

TECHNICAL REPORT DISTRIBUTION LIST, GEN

<u>!</u>	No. Copies		No. Copies
Office of Naval Research Attn: Code 413 800 N. Quincy Street Arlington, Virginia 22217	2	Dr. David Young Code 334 NORDA NSTL, Mississippi 39529	1
Dr. Bernard Douda Naval Weapons Support Center Code 5042 Crane, Indiana 47522	1	Naval Weapons Center Attn: Dr. A. B. Amster Chemistry Division China Lake, California 93555	1
Commander, Naval Air Systems Command Attn: Code 310C (H. Rosenwasser) Washington, D.C. 20360	1	Scientific Advisor Commandant of the Marine Corps Code RD-1 Washington, D.C. 20380	1
Naval Civil Engineering Laboratory Attn: Dr. R. W. Drisko Port Hueneme, California 93401	1	U.S. Army Research Office Attn: CRD-AA-IP P.O. Box 12211 Research Triangle Park, NC 2770	1
Defense Technical Information Center Building 5, Cameron Station Alexandria, Virginia 22314	12	Mr. John Boyle Materials Branch Naval Ship Engineering Center Philadelphia, Pennsylvania 1911	1
DTNSRDC Attn: Dr. G. Bosmajian Applied Chemistry Division Annapolis, Maryland 21401	1	Naval Ocean Systems Center Attn: Dr. S. Yamamoto Marine Sciences Division San Diego, California 91232	1
Dr. William Tolles Superintendent Chemistry Division, Code 6100 Naval Research Laboratory Washington, D.C. 20375	1		

Dr. Paul Delahay Department of Chemistry New York University New York, New York 10003

Or. P. J. Hendra
Department of Chemistry
University of Southampton
Southampton S09 5NH
United Kingdom

Dr. T. Katan
Lockheed Missiles and
Space Co., Inc.
P.O. Box 504
Sunnyvale, California 94088

Dr. D. N. Bennion
Department of Chemical Engineering
Brigham Young University
Provo, Utah 84602

Mr. Joseph McCartney Code 7121 Naval Ocean Systems Center San Diego, California 92152

Dr. J. J. Auborn
Bell Laboratories
Murray Hill, New Jersey 07974

Dr. Joseph Singer, Code 302-1 NASA-Lewis 21000 Brookpark Road Cleveland, Ohio 44135

Dr. P. P. Schmidt
Department of Chemistry
Oakland University
Rochester, Michigan 48063

Dr. H. Richtol Chemistry Department Rensselaer Polytechnic Institute Troy, New York 12181

Dr. R. A. Marcus Department of Chemistry California Institute of Technology Pasadena, California 91125 Dr. E. Yeager Department of Chemistry Case Western Reserve University Cleveland, Ohio 44106

Dr. C. E. Mueller
The Electrochemistry Branch
Naval Surface Weapons Center
White Oak Laboratory
Silver Spring, Maryland 20910

Dr. Sam Perone
Chemistry & Materials
Science Department
Lawrence Livermore National Laboratory
Livermore, California 94550

Dr. Royce W. Murray Department of Chemistry University of North Carolina Chapel Hill, North Carolina 27514

Dr. B. Brummer EIC Incorporated 111 Downey Street Norwood, Massachusetts 02062

Dr. Adam Heller Bell Laboratories Murray Hill, New Jersey 07974

Electrochimica Corporation Attn: Technical Library 2485 Charleston Road Mountain View, California 94040

Library
Duracell, Inc.
Burlington, Massachusetts 01803

Dr. A. B. Ellis Chemistry Department University of Wisconsin Madison, Wisconsin 53706

Dr. Manfred Breiter Institut fur Technische Elektrochemie Technischen Universitat Wien 9 Getreidemarkt, 1160Wien AUSTRIA

Dr. M. Wrighton
Chemistry Department
Massachusetts Institute
of Technology
Cambridge, Massachusetts 02139

Dr. B. Stanley Pons
Department of Chemistry
University of Utah
Salt Lake City, Utah 84112

Donald E. Mains Naval Weapons Support Center Electrochemical Power Sources Division Crane, Indiana 47522

S. Ruby DOE (STOR) M.S. 6B025 Forrestal Bldg. Washington, D.C. 20595

Dr. A. J. Bard Department of Chemistry University of Texas Austin, Texas 78712

Or. Janet Osteryoung Department of Chemistry State University of New York Buffalo, New York 14214

Dr. Donald W. Ernst Naval Surface Weapons Center Code R-33 White Oak Laboratory Silver Spring, Maryland 20910

Mr. James R. Moden Naval Underwater Systems Center Code 3632 Newport, Rhode Island 02840

Dr. Bernard Spielvogel U.S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709

Dr. Aaron Fletcher Naval Weapons Center Code 3852 China Lake, California 93555 Dr. M. M. Nicholson Electronics Research Center Rockwell International 3370 Miraloma Avenue Anaheim, California

Dr. Michael J. Weaver Department of Chemistry Purdue University West Lafayette, Indiana 47907

Dr. R. David Rauh EIC Laboratories, Inc. 111 Downey Street Norwood, Massachusetts 02062

Dr. Aaron Wold Department of Chemistry Brown University Providence, Rhode Island 02192

Dr. Martin Fleischmann Department of Chemistry University of Southampton Southampton SO9 5NH ENGLAND

Dr. R. A. Osteryoung Department of Chemistry State University of New York Buffalo, New York 14214

Dr. Denton Elliott
Air Force Office of Scientific
Research
Bolling AFB
Washington, D.C. 20332

Dr. R. Nowak Naval Research Laboratory Code 6170 Washington, D.C. 20375

Dr. D. F. Shriver
Department of Chemistry
Northwestern University
Evanston, Illinois 60201

Dr. Boris Cahan Department of Chemistry Case Western Reserve University Cleveland, Ohio 44106

Dr. David Aikens Chemistry Department Rensselaer Polytechnic Institute Troy, New York 12181

Dr. A. B. P. Lever Chemistry Department York University Downsview, Ontario M3J1P3

Dr. Stanislaw Szpak Naval Ocean Systems Center Code 6343, Bayside San Diego, California 95152

Dr. Gregory Farrington
Department of Materials Science
and Engineering
University of Pennsylvania
Philadelphia, Pennsylvania 19104

M. L. Robertson
Manager, Electrochemical
and Power Sources Division
Naval Weapons Support Center
Crane, Indiana 47522

Dr. T. Marks
Department of Chemistry
Northwestern University
Evanston, Illinois 60201

Dr. Micha Tomkiewicz Department of Physics Brooklyn College Brooklyn, New York 11210

Dr. Lesser Blum Department of Physics University of Puerto Rico Rio Piedras, Puerto Rico 00931

Dr. Joseph Gordon, II IBM Corporation K33/281 5600 Cottle Road San Jose, California 95193

Dr. Hector D. Abruna Department of Chemistry Cornell University Ithaca, New York 14853 Dr. D. H. Whitmore Department of Materials Science Northwestern University Evanston, Illinois 60201

Dr. Alan Bewick Department of Chemistry The University of Southampton Southampton, SO9 5NH ENGLAND

Dr. E. Anderson NAVSEA-56Z33 NC #4 2541 Jefferson Davis Highway Arlington, Virginia 20362

Or. Bruce Dunn
Department of Engineering &
Applied Science
University of California
Los Angeles, California 90024

Dr. Elton Cairns
Energy & Environment Division
Lawrence Berkeley Laboratory
University of California
Berkeley, California 94720

Dr. D. Cipris
Allied Corporation
P.O. Box 3000R
Morristown, New Jersey 07960

Dr. M. Philpott IBM Corporation 5600 Cottle Road San Jose, California 95193

Dr. Donald Sandstrom Boeing Aerospace Co. P.O. Box 3999 Seattle, Washington 98124

Dr. Carl Kannewurf
Department of Electrical Engineering
and Computer Science
Northwestern University
Evanston, Illinois 60201

Dr. Richard Pollard
Department of Chemical Engineering
University of Houston
4800 Calhoun Blvd.
Houston, Texas 77004

Dr. Robert Somoano Jet Propulsion Laboratory California Institute of Technology Pasadena, California 91103

Dr. Johann A. Joebstl
USA Mobility Equipment R&D Command
DRDME-EC
Fort Belvoir, Virginia 22060

Dr. Judith H. Ambrus NASA Headquarters M.S. RTS-6 Washington, D.C. 20546

Dr. Albert R. Landgrebe U.S. Department of Energy M.S. 6B025 Forrestal Building Washington, D.C. 20595

Dr. J. J. Brophy
Department of Physics
University of Utah
Salt Lake City, Utah 84112

Dr. Charles Martin
Department of Chemistry
Texas A&M University
College Station, Texas 77843

Dr. H. Tachikawa Department of Chemistry Jackson State University Jackson, Mississippi 39217

Dr. Theodore Beck Electrochemical Technology Corp. 3935 Leary Way N.W. Seattle, Washington 98107

Dr. Farrell Lytle
Boeing Engineering and
Construction Engineers
P.O. Box 3707
Seattle, Washington 98124

Dr. Robert Gotscholl U.S. Department of Energy MS G-226 Washington, D.C. 20545 Dr. Edward Fletcher Department of Mechanical Engineering University of Minnesota Minneapolis, Minnesota 55455

Dr. John Fontanella Department of Physics U.S. Naval Academy Annapolis, Maryland 21402

Dr. Martha Greenblatt
Department of Chemistry
Rutgers University
New Brunswick, New Jersey 08903

Dr. John Wasson Syntheco, Inc. Rte 6 - Industrial Pike Road Gastonia, North Carolina 28052

Dr. Walter Roth
Department of Physics
State University of New York
Albany, New York 12222

Dr. Anthony Sammells Eltron Research Inc. 4260 Westbrook Drive, Suite 111 Aurora, Illinois 60505

Dr. W. M. Risen Department of Chemistry Brown University Providence, Rhode Island 02192

Dr. C. A. Angell Department of Chemistry Purdue University West Lafayette, Indiana 47907

Dr. Thomas Davis
Polymer Science and Standards
Division
National Bureau of Standards
Washington, D.C. 20234

Ms. Wendy Parkhurst Naval Surface Weapons Center R-33 Silver Spring, Maryland 20910

END

FILMED

9-85

DTIC